



OSEPP Electronics  
 Unit# 1053-2560 Shell Rd  
 Richmond, BC V6X 0B8  
 Canada  
 Contact: Daniel Bertner  
 Email: danny@osepp.com  
 Tel: 1-786-253-4040

## Specification Sheet

|                                    |   |
|------------------------------------|---|
| <b>Item No.</b>                    | LS-S0307                                    |
| <b>Type</b>                        | Analog servo                                |
| <b>Weight</b>                      | 3.7g  |
| <b>Size</b>                        | 19.8*8.4*21.3mm                             |
| <b>Control System</b>              | (+)Pulse Width Control 1500usec Neutral     |
| <b>Required Pulse</b>              |   |
| <b>Operating Voltage</b>           | 4.2~4.8Volts                                |
| <b>Operating Temperature Range</b> | (-)10 to +50 degree C                       |
| <b>Operating Speed (6.0V)</b>      | 0.14sec/60° at no load                      |
| <b>Operating Speed (7.4V)</b>      | 0.12sec/60° at no load                      |
| <b>Stall Torque (6.0V)</b>         | 0.5kg.cm                                    |
| <b>Stall Torque (7.4V)</b>         | 0.8kg.cm                                    |
| <b>Operating Angle</b>             | 45deg.one side pulse traveling 500 usec     |
| <b>360 Modifiable</b>              | No  |
| <b>Direction</b>                   | Anticlockwise/Pulse Traveling 1000~2000usec |
| <b>Current Drain (6.0V)</b>        | 10mA/idle and 100mA no load operating       |
| <b>Current Drain (7.4V)</b>        | 10mA/idle and 120mA no load operating       |
| <b>Stall Current</b>               | 0.5A/0.54A                                  |
| <b>Dead Band Width</b>             | 4usec                                       |
| <b>Motor Type</b>                  | Coreless motor                              |
| <b>Bearing Type</b>                | /   |
| <b>Horn gear spline</b>            | 24T   |
| <b>Gear Type</b>                   | Plastic                                     |
| <b>Connector Wire Length</b>       | 180mm                                       |
| <b>Wire info</b>                   | Brown/Black = Negative                      |
|                                    | Red = Positive                              |
|                                    | Orange/White = Signal                       |